

Application Form

2079

Neutron Diffraction measurement of adsorption sites of H₂/D₂ mixtures

Rafael Balderas

Max Planck Institute for Intelligent Systems, Germany

Metal-organic frameworks have attracted considerable attention during the last past decade because of their potential application such as hydrogen storage and gas separation. Deuterium can be used for various applications such as nuclear fusion reaction, pharmaceuticals and chemical analysis, his demand is anticipated to increase in the future. Although D₂ is highly versatile, natural abundance of D₂ is really small, and its extraction from nature is one of the challenges in modern separation technology due to their identical size, shape and thermodynamic properties. The conventional techniques for hydrogen/deuterium separation like cryogenic distillation, the Girdler Sulfide process, thermal diffusion, and centrifugation are highly energy consuming and possesses a low efficiency.

Recently our group has participated in the characterization of a novel material for separating (H₂/D₂) isotope mixture, exploiting the gating effect in Metal-Organic Frameworks [1]. MFU-4 (Metal-organic Framework Ulm University) is constructed from {Zn₅Cl₆}₆₊ secondary building units interconnected with BBTA linkers [2]. MFU-4 structure possesses a pore system of alternating small and large cavities connected by a small square-shaped aperture formed by four chlorine atoms. An adsorbed molecule has to pass for the small cavity (2.88 Å) to reach the large one. The small cavity and the aperture act as separation gates, and the large cavity (11.94 Å) offers the surface area for storing large amounts of deuterium. The narrow apertures between the small and the large cavities form a barrier using four atoms of Cl which is based on the Pauli repulsion between the Cl atoms and H₂, making classical diffusion impossible.

Neutron powder diffraction (NPD) is a technique that may provide a fundamental insight of adsorption such as the exact adsorption sites of hydrogen isotopes within the framework and their occupancy as function of the pressure and loading temperature. The Physics Department at IFE possess the facilities (JEEP-II reactor, powder neutron diffractometer PUS) to perform this demanding type of measurements.

An earlier neutron powder neutron diffraction investigation performed at the H₂FC infrastructure JEEP II (project 2066), successfully identified the adsorption sites for deuterium in MFU-4 at 80 K. Unexpectedly, however, no significant adsorption was observed for a H₂/D₂ mixture under similar conditions. We therefore apply for access to perform 3 additional experiments with H₂/D₂ mixtures and slightly higher adsorption temperatures of 90K ,100K and 110 K.

[1] Teufel, J., H. Oh, M. Hirscher, M. Wahiduzzaman, L. Zhechkov, A. Kuc, T. Heine, D. Denysenko and D. Volkmer (2013). "MFU-4 - A Metal-Organic Framework for Highly Effective H-2/D-2 Separation." *Advanced Materials* 25(4): 635-639.

[2] Denysenko, D., et al., Elucidating Gating Effects for Hydrogen Sorption in MFU-4-Type Triazolate-Based Metal-Organic Frameworks Featuring Different Pore Sizes. *Chemistry-a European Journal*, 2011. 17(6): p. 1837-1848.